ANALAB IRELAND PRESENTS

1st Feb - 31st May 2021

FOCUS

EXCLUSIVE OFFERS & EXCITING NEW PRODUCTS

GREAT NEW OFFERS INSIDE:

SLS Select Deep Well Storage Plates

(See page 16)

Anvajo Fluidlab R-300 Cell Counter/Spectrometer

(See page 48)

See page 49...

NEW

Blue-Ray Biotech Gradient TurboCycler 2
(With 96-Well Sample Block)

Flexible rate control, adjustable lid temperature, easy operation with touchscreen

Eppendorf 5810/5810R Centrifuge Packages

The smallest 3L centrifuge on the market with plenty of smart features

See page 5...

25% OFF

Brought to you by Ireland's totally independent supplier of scientific products

Analab
An SLS Company

WELCOME

FOCUS Spring 2021 Edition

Welcome to another bumper issue of FOCUS! With great exclusive offers on products from market leading brands such as Eppendorf, Corning, Gilson, Lonza and Ohaus plus many more. You will also find some great prices on the SLS branded ranges.

Throughout this edition you will find products suitable for the disinfection and control of COVID-19, helping you to make your working environment safer.

REMEMBER:
These offers are EXCLUSIVE to Analab and valid until 31st May 2021

Product Catalogues - Available now!

The Analab Product Catalogue (2020/21) features 20% NEW products and the SLS Chemicals Catalogue includes products from leading brands including Honeywell Fluka™, Honeywell Riedel-de Haën, Hydranal™, Chromasolv™, Reagecon and SLS Select chemicals.

Whatever your application you're sure to find the product to suit your needs.

KEY to product symbols:

- 1 YEAR — Length of warranty
- NEW — New product
- Made in Britain
- Sustainability

MIX
Paper from responsible sources
FSC® C017574
www.fsc.org

WORLD LAND TRUST™
www.carbonbalancedpaper.com
CBP001952

Analab
An SLS Company

KEY Highlights

Eppendorf MiniSpin® and MiniSpin® Plus Microcentrifuges
See page 03

Gilson PIPETMAN® Classic Manual Pipettes
See page 08

Lonza Cell Culture Media and Buffers
See page 11

Axygen® Axyspin Plate Spinner
See page 20

Mettler Toledo SevenCompact™ S210 pH Meter Bundles
See page 28

Liebherr LGv5010 Mediline Freezer
See page 43

Eppendorf MiniSpin® and MiniSpin® Plus Microcentrifuges

eppendorf

- Extremely compact footprint
- Acceleration and deceleration time <13 s
- User-friendly digital display for time and speed
- Separate short-spin key for fast and comfortable centrifugation
- Soft-touch lid closure for ergonomic lid locking
- Large LCD display
- Includes F-45-12-11 rotor which has a capacity of 12 x 1.5/2.0mL tubes
- MiniSpin® plus provides automatic rpm/rcf conversion, and extended timer to 99 min or continuous centrifugation

25% OFF

Code	Description	Max Speed, RPM	Max Speed, x g	Timer	Offer Price €	Offer Price £
F151377	MiniSpin®	800 – 13400	12100	15s–30min	755.00	629.00
F151378	MiniSpin® Plus	800 – 14500	14100	15s–99min	979.00	816.00

Reusable Nanotech Face Masks

Premium and reusable, made from nanotech coated 3-layered 100% cotton. Washable up to 100 times to make them cost effective and environmentally friendly.

Code	Size	List Price €	List Price £
COV1016	Large	5.33	4.10
COV1018	Medium	5.33	4.10

Eppendorf 5425R Centrifuges

2 YEARS NEW

eppendorf

The new Centrifuge 5425R is the successor to the popular Centrifuge 5424R.

- Excellent cooling system for the separation of temperature-sensitive samples from 0.2 – 5 mL
- Aerosol-tight Eppendorf QuickLock® rotor lids for an ergonomic lid locking
- Additional software functions (e.g. short function without keeping the key pressed, end-of-run countdown)
- Extended rotor program (e.g. 5.0mL rotor, swing-bucket rotor for divisible plates to speed up your PCR/qPCR setup)
- OptiBowl® design for quiet operation, even without rotor lid
- Ergonomic closing of the centrifuge lid with only one finger
- Max. rotor capacity: 24 x 2.0mL / 10 × 5.0mL vessels
- Max. speed: 21,300 × g (15,060 rpm)
- FastTemp function: from ~21°C to 4°C in only 8 minutes
- Temperature range: -10°C to +40°C
- The patented compressor technology reduces vibrations and protects your samples
- Continuous cooling maintains a constant temperature after the run has been completed – your samples stay cool

NEW

See website for rotor options

Code	Description	List Price €	List Price £
E5406000160	Eppendorf 5425R with FA-24x2 Rotor, Keypad Control	**5623.00**	**4325.00**
E5406000569	Eppendorf 5425R with FA-24x2 Rotor, Knob Control	**5623.00**	**4325.00**

Bollé

Face Screen

Bollé DFS2 Face Screen

DFS2 is a facial screen accessible to all which perfectly protects against splashes and droplets.
One size fits all.

Code	Pack	List Price €	List Price £
SAF1096	Each	**3.90**	**3.00**

Eppendorf 5810/5810R Centrifuge Packages

3 YEARS

eppendorf

- Smallest 3L centrifuge on the market
- Low lid opening height for use under shelves
- Quiet to benefit your work environment
- High centrifugation speed of up to 4,500 × g (swing-bucket rotor) or 20,913 × g (fixed-angle)
- Timer 1min to 99min, with continuous run function, short-spin
- Low access height for easy loading/unloading
- Centrifuge lid with soft-touch lid closure
- Temperature range from -9°C to 40°C for R models
- Available with adapters for 13mm and 16mm round-bottom blood/urine collection tubes or standard 15mL and 50mL Falcon® tubes
- Featuring swing-bucket rotors for high capacity (S-4-104) 56x15mL, 28x50mL or 92x13mL, 80x16mL; medium capacity (A-4-62) 36x15mL, 16x50mL; or economical capacity (A-4-81) 48x15mL, 20x50mL

25% OFF

Code	Model	Supplied with	Offer Price €	Offer Price £
F151379	5810R	S-4-104 Rotor, Adapters for 15mL/50mL Conical Tubes	8237.00	6864.00
F151380	5810R	S-4-104 Rotor, Adapters for 13mL/16mL Round-Bottom Tubes	8237.00	6864.00
F151381	5810R	A-4-81 Rotor, Adapters for 15mL/50mL Conical Tubes	7846.00	6538.00
F151382	5810R	A-4-62 Rotor, Adapters for 15mL/50mL Conical Tubes	7228.00	6023.00
F151383	5810	A-4-62 Rotor, Adapters for 15mL/50mL Conical Tubes	4963.00	4136.00
F151384	5810	A-4-81 Rotor, Adapters for 15mL/50mL Conical Tubes	5580.00	4650.00
F151385	5810	S-4-104 Rotor, Adapters for 13mL/16mL Round-Bottom Tubes	5975.00	4979.00
F151386	5810	S-4-104 Rotor, Adapters for 15mL/50mL Conical Tubes	5975.00	4979.00

Eppendorf Combitips Advanced

Offering a unique volume range of 1µL-10mL and is the only mechanical dispenser that dispenses the aspirated liquid up to 100 times without refilling the tip.

- Repetitive dispensing of volumes in long series
- Contamination-free dispensing of hazardous liquids
- Precise and accurate dispensing of viscous solutions e.g glycerol, or liquids with high vapour pressure e.g ethanol
- Purchase 7 packs of Combitips Advanced from the list below at your normal price to receive a FREE Multipette M4 (Multipette and Combitips shipped separately)

Combitips are supplied in packs of 100

Combitips Advanced - Eppendorf Quality

High precision and accuracy guaranteed by precise moulding and testing.

Code	Colour	Volume, mL	List Price €	List Price £
F151387	White	0.1	**98.00**	**82.00**
F151388	Light blue	0.2	**98.00**	**82.00**
F151389	Purple	0.5	**98.00**	**82.00**
F151390	Yellow	1.0	**98.00**	**82.00**
F151391	Green	2.5	**98.00**	**82.00**
F151392	Blue	5.0	**98.00**	**82.00**
F151393	Orange	10.0	**98.00**	**82.00**
F151394	Red	25.0	**116.00**	**97.00**
F151395	Light grey	50.0	**127.00**	**106.00**

Combitips Advanced - PCR Clean

Certified free of DNases, RNases, nucleic acids and PCR inhibitors

Code	Colour	Volume, mL	List Price €	List Price £
F151396	White	0.1	**124.00**	**103.00**
F151397	Light blue	0.2	**124.00**	**103.00**
F151398	Purple	0.5	**124.00**	**103.00**
F151399	Yellow	1.0	**124.00**	**103.00**
F151400	Green	2.5	**124.00**	**103.00**
F151401	Blue	5.0	**124.00**	**103.00**
F151402	Orange	10.0	**124.00**	**103.00**
F151403	Red	25.0	**143.00**	**119.00**
F151404	Light grey	50.0	**158.00**	**132.00**

Combitips Advanced - Biopur

Guaranteed to be sterile and free of pyrogens, RNases, DNases, DNA and ATP as well as PCR inhibitors. Individually Wrapped.

Code	Colour	Volume, mL	List Price €	List Price £
F151405	White	0.1	**180.00**	**150.00**
F151406	Light blue	0.2	**180.00**	**150.00**
F151407	Purple	0.5	**180.00**	**150.00**
F151408	Yellow	1.0	**180.00**	**150.00**
F151409	Green	2.5	**180.00**	**150.00**
F151410	Blue	5.0	**180.00**	**150.00**
F151411	Orange	10.0	**180.00**	**150.00**
F151412	Red	25.0	**211.00**	**176.00**
F151413	Light grey	50.0	**228.00**	**190.00**

FREE
Eppendorf Multipette M4 when you buy 7 packs of Combitips Advanced (Worth €419)

eppendorf

Raise the Limits

Eppendorf Research® plus

Eppendorf sets standards in ergonomics! This ultralight pipette meets the highest needs in precision and accuracy – combined with ultimate ergonomics and increased flexibility.
A spring-loaded tip cone, a secondary adjustment option, an improved volume display – and all that in an ultra light, fully autoclavable pipette.

> Ideal ergonomics: Eppendorf PhysioCare Concept®
> Ultra light with minimal pipetting and ejection forces
> Spring-loaded tip cone
> Available as single-channel pipette with fixed and variable volume aswell as 8-,12-, 16- and 24-channel pipette

www.analab.co.uk

Eppendorf®, the Eppendorf Brand Design, PhysioCare Concept® and Eppendorf Research® are registered trademarks of Eppendorf AG, Germany.
U.S. Design Patents are listed on www.eppendorf.com/ip. All rights reserved, including graphics and images. Copyright © 2019 by Eppendorf AG.
*The Research plus pipette is an in vitro diagnostic device according to Directive 98/79/EC of the European Parliament and the Council dated October 27, 1998.

GILSON

Gilson PIPETMAN® Classic Manual Pipettes

3 YEARS

PIPETMAN® Classic starter kit includes:

3 PIPETMAN® Classic pipettes: P20, P200, P1000; 2 racks DIAMOND tips: D200, D1000; 3 SINGLE™ pipette hangers; 'Gilson Guide to Pipetting' handbook

PIPETMAN® Classic microvolume kit includes:

3 PIPETMAN® Classic pipettes: P2, P10, P100; 2 racks DIAMOND tips: DL10, D200; 3 SINGLE™ pipette hangers; 'Gilson Guide to Pipetting' handbook

PIPETMAN® Classic large volume kit includes:

2 PIPETMAN® Classic pipettes: P5000, P10mL; 2 bags of ten filters; 2 safety bags

PIPETMAN® Classic four pipette kit includes:

4 PIPETMAN® Classic pipettes: P2, P20, P200, P1000; 2 racks DIAMOND tips: D10L, D200, D1000; 4 SINGLE™ pipette holders; 4 PIPETMAN® comfort handles; 'Gilson Guide to Pipetting' handbook

40% OFF

Code	Description	Volume Range, µL	Offer Price €	Offer Price £
F151074	P2	0.2-2	150.00	125.00
F151075	P10	1-10	150.00	125.00
F151076	P20	2-20	150.00	125.00
F151077	P100	20-100	150.00	125.00
F151078	P200	5-200	150.00	125.00
F151079	P1000	200-1000	150.00	125.00
F151080	P5000	1000-5000	150.00	125.00
F151081	P10mL	1000-10000	150.00	125.00
F151082	Starter Kit	-	408.00	340.00
F151083	Large Volume Kit	-	272.00	227.00
F151084	Micro Volume Kit	-	408.00	340.00
F151085	Classic 4 Pipette Kit	-	529.00	441.00

LAB BASICS

SLS Lab Basics Pipettes

3 YEARS

Single Channel:

- Ergonomic design ensuring light weight & soft plunger movement
- Click-stop system for volume selection
- Colour coded for easy identification
- Calibration conforms to EN-ISO 8655 with report enclosed with every pipette

Up to 68% OFF

Multi Channel:

- Manifold is easily removable, fully autoclavable and can rotate 360° for easy right or left hand operation
- Smooth and light tip loading and ejection
- Leak free sealing of tips

Code	Channel	Volume Range, µL	Offer Price €	Offer Price £
F151300	Single	0.1-2.5	58.00	48.00
F151301	Single	0.5-10	58.00	48.00
F151305	Single	2-20	58.00	48.00
F151302	Single	5-50	58.00	48.00
F151303	Single	10-100	58.00	48.00
F151306	Single	20-200	58.00	48.00
F151304	Single	100-1000	58.00	48.00
F151307	Single	500-5000	62.00	52.00
F151308	Single	1000-10000	62.00	52.00
F151313	8	0.5-10	198.00	165.00
F151309	8	5-50	198.00	165.00
F151310	8	10-100	198.00	165.00
F151311	8	20-200	198.00	165.00
F151312	8	30-300	198.00	165.00
F151318	12	0.5-10	240.00	200.00
F151314	12	5-50	240.00	200.00
F151315	12	10-100	240.00	200.00
F151316	12	20-200	240.00	200.00
F151317	12	30-300	240.00	200.00

Axygen® Axypet® Pro Starter Kit

3 YEARS A

Axygen® Axypet® Pro Pipettors have been engineered to provide the highest levels of ergonomics, accuracy, and precision.

Starter Kit contains 4 variable volume pipettors in the most popular and universal volumes (0.5-10µL, 2-20µL, 20-200µL, and 100-1000µL), red pipette stand for 4 pipettors, and 3 racks with tips (10µL, 200µL and 1000µL).

- Ergonomic handle design for perfect fit for both right and left hand
- Convenient one-hand volume setting with auto-lock system prevents accidental volume change during work
- 4-digit counter for greater precision, perfectly positioned for visibility at all times
- Single-channel pipettors are compatible with very narrow tubes
- Fully autoclavable and UV-resistant for sample protection against contaminations

50% OFF

Code	Description	Offer Price €	Offer Price £
F151063	Axypet Pro Starter Kit	444.00	370.00

Dentigel

Alcohol Gel Pump

Dentigel Alcohol Gel Pump 500mL

Code	List Price €	List Price £
COV1210	7.80	4.90

SLS Lab Pro Pipettes

The SLS Lab Pro pipettes offer superior quality at an affordable price. These are lightweight pipettes with a handle that fits naturally in the hand. They feature a volume locking system for safe, secure pipetting. A lubricated piston assembly offers very light pipetting forces.

- Adjustable tip ejector button to adapt to both right and left-handed users
- Clip mechanism allows easy and safe removal of tip ejector

50% OFF

Code	Channel	Volume Range, µL	Offer Price €	Offer Price £
F151284	Single	0.2-2	126.00	105.00
F151285	Single	1-10	126.00	105.00
F151286	Single	2-20	126.00	105.00
F151287	Single	10-100	126.00	105.00
F151288	Single	20-200	126.00	105.00
F151289	Single	100-1000	126.00	105.00
F151290	Single	500-5000	144.00	120.00
F151291	Single	1000-10000	144.00	120.00
F151292	8	0.5-10	282.00	235.00
F151293	8	2-20	282.00	235.00
F151294	8	20-200	282.00	235.00
F151295	8	20-300	282.00	235.00
F151296	12	0.5-10	342.00	285.00
F151297	12	2-20	342.00	285.00
F151298	12	20-200	342.00	285.00
F151299	12	20-300	342.00	285.00

SLS Lab Pro Pipette Tip Reload Towers

A low cost, environmentally friendly alternative to racked tips. The system allows the user to reload empty racks with new tips in a single movement. The transfer card is designed to prevent contamination by minimising the amount of handling.

- Reload up to 10 trays in 90 seconds
- Requires 57% less storage space than full racks
- Reuse existing racks
- Generates 90% less packaging waste

Up to **50%** OFF

Code	Volume, µL	Pack	Offer Price €	Offer Price £
F151319	10XL	10 x 96	20.20	16.80
F151320	10	10 x 96	20.20	16.80
F151321	200	10 x 96	20.20	16.80
F151322	300	10 x 96	20.20	16.80
F151323	1000	10 x 96	27.40	22.80
F151324	1250	10 x 96	27.40	22.80

Lonza Cell Culture Media and Buffers

A high quality range of media, buffer solutions and supplements for a wide variety of cell culture applications. Suitable for high density suspensions, monolayers and adherent dependent cells including human, monkey, hamster, rat, mouse, chicken and fish lines as well as hybridoma cells and blood cells.

Up to **74%** OFF

Code	Description	Pack	Offer Price €	Offer Price £
F151269	DMEM 4.5g/L Glucose with L-Glutamine	500mL	3.94	3.28
F151270	DMEM 4.5g/L Glucose without L-Glutamine	500mL	3.67	3.06
F151271	DMEM Low Glucose with 1g/L Glucose without L-Glutamine	500mL	3.67	3.06
F151272	DMEM:F12 with 25mM HEPES 1:1 Mixture with 3.151g/L Glucose with L-Glutamine	500mL	4.28	3.57
F151273	RPMI 1640 Medium without L-Glutamine	500mL	4.67	3.06
F151274	RPMI 1640 Medium with L-Glutamine	500mL	3.76	3.13
F151275	Ham's F12 Medium with L-Glutamine	500mL	7.92	6.60
F151276	Hanks' BSS (1X) without Phenol Red, Calcium or Magnesium	500mL	6.94	5.78
F151277	DPBS (1X) with Calcium and Magnesium	500mL	5.30	4.42
F151278	PBS (1X) without Calcium and Magnesium	500mL	3.67	3.06
F151279	Trypsin-EDTA (1X) includes 170,000 U/L Trypsin 1:250 and 0.2g/L Versene® (EDTA)	100mL	6.61	5.51
F151280	Trypsin-EDTA (10X) includes 1,700,000 UL Trypsin 1:250 and 2g/L Versene® (EDTA)	100mL	6.95	5.79
F151281	10,000 U/mL Potassium Penicillin and 10,000µg /mL Streptomycin Sulfate	100mL	9.53	7.94
F151282	5,000 U/mL Potassium Penicillin and 5,000µg/mL Streptomycin Sulfate	100mL	8.48	7.07

SLS Chemicals

30% OFF

pH Buffer Solutions

Code	Description	Pack	Offer Price €	Offer Price £
F151668	Buffer Solution pH 4 Colour Coded (Red)	1L	22.70	18.90
F151669	Buffer Solution pH 4 Colour Coded (Red)	2.5L	40.30	33.60
F151670	Buffer Solution pH 4 Colour Coded (Red)	5L	33.60	28.00
F151671	Buffer Solution pH 7 Colour Coded (Yellow)	1L	22.70	18.90
F151672	Buffer Solution pH 7 Colour Coded (Yellow)	2.5L	26.00	21.70
F151673	Buffer Solution pH 7 Colour Coded (Yellow)	5L	38.60	32.20
F151674	Buffer Solution pH 10 Colour Coded (Blue)	1L	22.70	18.90
F151675	Buffer Solution pH 10 Colour Coded (Blue)	2.5L	40.30	33.60
F151676	Buffer Solution pH 10 Colour Coded (Blue)	5L	41.20	34.30
F151677	pH Electrode Storage Solution	500mL	26.00	21.70
F151678	Potassium Chloride 4M (pH Electrode Filling Soln)	100mL	22.70	18.90

Conductivity Standards

Code	Description	Pack	Offer Price €	Offer Price £
F151679	Conductivity Standard 10µS (at 25°C)	500mL	17.60	14.70
F151680	Conductivity Standard 84µS (at 25°C)	500mL	17.60	14.70
F151681	Conductivity Standard 147µS (at 25°C)	500mL	17.60	14.70
F151682	Conductivity Standard 1000µS (at 25°C)	500mL	17.60	14.70
F151683	Conductivity Standard 1413µS (at 25°C)	500mL	17.60	14.70
F151684	Conductivity Standard 2000µS (at 25°C)	500mL	17.60	14.70
F151685	Conductivity Standard 12880µS (at 25°C)	500mL	17.60	14.70

Laboratory Water

Code	Description	Pack	Offer Price €	Offer Price £
F151686	Water Analytical Reagent (A.R.)	5L	20.20	16.80
F151687	Water Analytical Reagent (A.R.)	10L	29.40	24.50
F151688	Water Analytical Reagent (A.R.)	25L	32.80	27.30
F151689	Water Deionized	2.5L	8.40	7.00
F151690	Water Deionized	5L	12.60	10.50
F151691	Water Deionized	25L	29.40	24.50

NEW for 2021

SIGMA-ALDRICH is now part of MERCK

SLS is now the official Distributor Partner for the entire Sigma-Aldrich® range from Merck, with access to over 300,000 Sigma-Aldrich and Supelco products. With a wide portfolio and next day shipping on the majority of products our comprehensive range provides a solution to most applications

Honeywell

SLS provides the full portfolio of Honeywell brands including Burdick & Jackson™, Riedel-de Haën™ and Fluka™. This includes a broad range of solvents and essential reagents for analytical and chemistry laboratories including Hydranal™, Chromasolv™ and many other high-quality premium chemical products.

SLS SELECT

SLS Select is our own range of chemicals, manufactured in the UK and designed to meet the needs of the most demanding of laboratories. We provide a high quality, cost effective solution to most routine applications.

Reagecon Delivering the Correct Result

One of the largest producers of Physical/Chemical Standards and Certified Reference Materials worldwide. Certified to ISO9001, ISO17025, ISO17034, ISO18001 with the majority of products also traceable to International bodies such as NIST & OIML.

SPEX CertiPrep Ltd.

Manufacturer of Certified Reference Materials (CRMs) and Calibration Standards offering a full range of Inorganic and Organic CRMs. Certified to ISO 9001:2015, ISO/IEC 17025:2017 and ISO 17034:2016.

SLS Select Biocleanse Disinfectant

NEW

Low-residue, alcohol-free SLS Select Biocleanse disinfectant offers a convenient, effective, powerful all-in-one cleaning and disinfecting solution for a broad range of surfaces, including PMMA and aluminium.

- Wide spectrum microbiocide
- Cleans and disinfects in a single wipe
- pH neutral
- Alcohol-free
- Effective against all enveloped viruses e.g. HIV, HBV, HCV, coronaviruses
- Wipe size: 200 x 190mm
- 200 wipes per tub

40% OFF

Code	Description	Pack	Offer Price €	Offer Price £
F151360	Disinfectant Wipe Tub	6	54.00	45.00

AZLON®
WASH BOTTLES
FOR SAFE AND EASY SOLVENT AND LIQUID DISPENSING

Find out more at
analab.co.uk

DWK LIFE SCIENCES
DURAN WHEATON KIMBLE



Azlon® Multi-Lingual Safety Vented Wash Bottles

35% OFF

Supplied in packs of 5

Code	Label	Cap Colour	Volume, mL	Offer Price €	Offer Price £
F151170	Acetone	Red	500	21.00	17.53
F151171	Methanol	Green	500	21.00	17.53
F151172	Isopropanol	Blue	500	21.00	17.53
F151173	I.M.S	Yellow	500	21.00	17.53
F151174	Ethanol	Orange	500	21.00	17.53

DURAN® Protect Glass Laboratory Bottles

35% OFF

- The plastic coating provides scratch, leak and splinter protection
- Standard GL45-thread
- Easy-to-read scale with graduation marks to estimate the content
- Fired-on, highly durable white ceramic print
- PBT caps and EFTE pouring rings are fully autoclavable at 121 or 134°C and offer greater thermal and chemical resistance than the equivalent polypropylene components

Note: Caps and pouring rings not included with bottles and must be purchased separately. Bottles, caps and pouring rings supplied in packs of 10.

Code	Description	Offer Price €	Offer Price £
F151163	DURAN® Protect Laboratory Bottles 100mL	96.00	80.00
F151164	DURAN® Protect Laboratory Bottles 250mL	105.60	88.00
F151165	DURAN® Protect Laboratory Bottles 500mL	128.40	107.00
F151166	DURAN® Protect Laboratory Bottles 1000mL	180.00	150.00
F151167	DURAN® Protect Laboratory Bottles 2000mL	355.20	296.00
F151168	DURAN® Red PBT 54mm Screw-Caps with PTFE Protected Seal	42.60	35.50
F151169	DURAN® Red ETFE Pouring Rings	9.13	7.61

SLS Select Media Bottles

A

- Perfect for everyday laboratory use
- Suitable for many applications, such as storage of culture media
- Made from high quality borosilicate glass 3.3 to ISO 3585
- Heat and chemical resistance
- GL45 blue polypropylene cap and pouring ring included
- White graduations and marking spot
- Sloped shoulders for easy pour
- Standards to ISO 4796-1

50% OFF

Code	Volume, L	Pack	Offer Price €	Offer Price £
F151342	0.1	10	17.28	14.40
F151343	0.25	10	19.68	16.40
F151344	0.5	10	20.30	16.90
F151345	1	10	33.00	27.50
F151346	2	10	72.00	60.00
F151347	5	Each	68.40	57.00
F151348	10	Each	110.00	92.00
F151349	20	Each	172.00	143.00

Corning®

Sterile Water

Corning® Sterile Molecular Biology Grade Water

UP TO 60% OFF

Suitable for a wide variety of routine tasks requiring a high degree of sterility.

Supplied in packs of 6.

Code	Volume, mL	Offer Price €	Offer Price £
F151055	100	28.80	24.00
F151056	500	48.00	40.00
F151057	1000	64.80	54.00

SLS Select Deep Well Storage Plates

A NEW

SLS Select deep well storage plates are high performance plates produced in cleanrooms that are certified for medical device assembly. They are manufactured in pure virgin medical grade polypropylene (PP) with class leading low levels of extractible elements.

- ANSI-SBS Footprint
- Tested for low extractables
- Alpha-Numeric reference grid
- Suitable for automated or manual applications
- For use in sample storage at 86°C to DNA denaturation at 100°C
- Autoclavable
- No inner edges to allow better collection of magnetic beads
- Manufactured under DNase/RNase free environment
- Coloured versions available

50% OFF

Round Well

Code	No. of Wells	Well Volume, mL	Bottom	Colour	Pack	Offer Price €	Offer Price £
SLS1206	96	1	U	Natural	50	120.00	100.00
SLS1208	96	1	U	Black	50	112.00	93.00
SLS1230	96	1	U	Black	50	120.00	100.00
SLS1240	96	1.2	U	Natural	50	125.00	104.00
SLS1242	96	1.2	U	Natural	50	125.00	104.00

Square Well

Code	No. of Wells	Well Volume, mL	Bottom	Colour	Pack	Offer Price €	Offer Price £
SLS1246	96	2	V	Natural	50	102.00	85.00
SLS1248	96	2	V	Black	50	112.00	93.00
SLS1278	96	2.2	V	Natural	50	102.00	85.00
SLS1280	96	2.2	U	Natural	50	166.00	138.00
SLS1282	384	0.3	V	Natural	48	423.00	354.00

Sealing Mats

Code	Description	Pack	Offer Price €	Offer Price £
SLS1284	96 square well silicone sealing mat	50	238.00	198.00
SLS1286	96 square well silicone sealing mat, can be punctured	50	238.00	198.00
SLS1288	96 round well silicone sealing mat for 1.0mL plates, can be punctured	50	238.00	198.00
SLS1290	96 round well silicone sealing mat for 2.0mL plates, can be punctured	50	238.00	198.00
SLS1294	96 square well silicone sealing mat, cross cut	50	238.00	198.00
SLS1296	96 round well silicone sealing mat for 2.0mL plates, cross cut	50	238.00	198.00
SLS1298	384 square well silicone sealing mat	50	238.00	198.00

SLS Select Serological Pipettes

- Manufactured in compliance with the current versions of the ISO 13485 and FDA CFR 21 Part 820, cGMP
- Made from USP Class VI polystyrene resin
- Crisp, dark ascending and descending as well as negative graduations
- Colour-coded rings for easy identification
- Plugged
- Non-pyrogenic
- RNase-/DNase-free
- Sterile

Up to **58%** OFF

Code	Volume, mL	Packaging	Inner Pack	Pack	Offer Price €	Offer Price £
F151325	1	Individually Wrapped	100	1000	72.00	60.00
F151326	1	Bulk	25	1000	60.00	50.00
F151327	2	Individually Wrapped	100	1000	79.00	66.00
F151328	2	Bulk	25	1000	60.00	50.00
F151329	5	Bulk	25	500	56.00	46.80
F151330	5	Individually Wrapped	50	200	21.80	18.20
F151331	10	Individually Wrapped	50	200	22.80	19.00
F151332	10	Bulk	25	500	69.00	57.50
F151333	25	Bulk	20	100	82.00	68.00
F151334	25	Individually Wrapped	50	200	52.00	43.40
F151335	50	Individually Wrapped	20	100	64.00	53.00

SLS Select Cylinders, Polypropylene with Moulded Graduations

Supplied in packs of 10

Code	Capacity, mL	List Price €	List Price £
CYL20840	50	14.40	12.00
CYL20880	250	32.40	27.00
CYL20920	1000	84.00	70.00

SLS Lab Basics Pipette Filler

5 YEARS

LAB BASICS

- Long life Li-Ion battery that allows 20 hours of continuous usage, and low battery indicator
- For 1-100mL glass or plastic pipettes
- Uses standard 0.45µm hydrophobic filters
- Complete with universal voltage and plug faced charger
- Supplied with bench stand, magnetic/fixable wall mount and 5 coloured nose cones

50% OFF

Code	Description	Offer Price €	Offer Price £
F151350	Pipette Filler	120.00	100.00

Corning®

Pipette Controller

Corning® Stripettor™ Ultra Pipette Controller

48% OFF

Code	Description	Offer Price €	Offer Price £
F151058	Stripettor™ Ultra Pipette Controller	168.00	140.00

Biocleanse Ultra Ready-To-Use Wide Spectrum Microbiocide Spray

Whilst Stocks Last

Biocleanse Ultra Ready-to-Use Spray is a low residue, alcohol-free, solution for effective one-stage cleaning and disinfection of a broad range of surfaces including PMMA and aluminium.

Code	Pack	List Price €	List Price £
COV1104	20 x 500mL	208.00	106.00

Thermo Scientific™ Digital Mini Rotators

2 YEARS

Thermo SCIENTIFIC

- Speed range: 50–500 rpm
- Precise speed control:
  - ±1 rpm (≤100 rpm)
  - ±1% (101–450 rpm)
- Orbit Diameter: 10mm
- Max Load up to 4.5kg
- 2 Timer modes: Continuous, Timer

15% OFF

Code	Description	Platform Dims, mm	Overall Dims, w x d x h, mm	Offer Price €	Offer Price £
F151054	Digital Mini Rotator	310 x 284	284 x 383 x 130	1109.00	924.00

Thermo Scientific™ Digital Waving Rotator

2 YEARS

Thermo SCIENTIFIC

- Digital display of speed and time
- Speed range: 5 – 120rpm
- Easy adjustable rocking angle: 1-12°
- Precise speed control:
  - ±1 rpm≤30 rpm
  - ±2 rpm>30 rpm
- Max load up to 9.8kg
- Tray size fits 6 x well-plates
- Timer range: 1min to 99hrs 59min

15% OFF

Code	Description	Platform Dims, mm	Overall Dims, w x d x h, mm	Offer Price €	Offer Price £
F151374	Digital Waving Rotator	276 x 316 x 19	295 x 383 x 224	1098.00	915.00

Axygen® Axyspin Plate Spinner

2 YEARS

The first centrifuge designed specifically for quick and easy centrifugation of samples in PCR plates or microplates. Two standard microplates are loaded through a slot in the top of the unit, and sealed plates are loaded vertically. Surface tension keeps samples in place so there is no danger of spilling. Upon closing the lid of the unit, the rotor quickly accelerates the microplates to 2500 rpm. Opening the lid engages the brake and brings the rotor to a stop.

- Capacity for two standard plates
- Top loading design
- Exceptionally small footprint, less than $^{1}/_{4}$ the size of most plate centrifuges
- Starts and stops in seconds
- Use before and after thermal cycling to improve PCR yield
- Quickly spin down droplets and condensation
- Accepts skirted and non-skirted and all standard PCR plates
- Speed: 2500 rpm/rcf 500 × g

40% OFF

Code	Description	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151060	Axyspin Plate Spinner	190 x 210 x 183	396.00	330.00

Corning® LSE™ Platform Rockers

5 YEARS

- Low profile and compact size
- 5kg load capacity
- Non-slip rubber pads to prevent sample containers from moving during operation
- Double platform model available for increased capacity
- Timer: 0 to 2 hours or continuous
- Speed: 5 to 120 tilts/minute
- Platform size: 300 x 300mm
- Dims: 325 x 360 x 145mm

Over 40% OFF

Code	Description	Offer Price €	Offer Price £
F151066	Single Platform	462.00	385.00
F151067	Double Platform	510.00	425.00

Corning® LSE™ Benchtop Incubated Shaker with Platform

29% OFF

Truly a benchtop style, the lid has a low pivot point which provides a space-saving size sure to fit on the lab bench and under shelves. Each unit includes a software package, which provides the option of saving data to an external computer or monitoring RPM and temperature throughout runs. The maximum capacity is 16 x 125mL/ 9 x 250mL/ 5 x 500mL/ 4 x 1000mL.

- Outstanding temperature uniformity
- Large viewing area for undisturbed monitoring of samples
- Broad temperature range
- Multiple shelving options
- Precision control shaking mechanism
- PT100 sensor
- 1min to 99hr timer

Code	Speed Range, RPM	Orbit, mm	Temp Range, °C	Dims, w x d x h, mm	Weight, kg	Offer Price €	Offer Price £
F151062	20-300	19	Ambient +5°C to 80°C	370 x 530 x 400	20.2	2394.00	1995.00

SLS Flowgen Incu-Shaker™ Incubated Shaker

2 YEARS

FLOWGEN

A compact shaking incubator with a remarkably small footprint. Accepts several platforms and a variety of flasks, tubes and other common vessels. The standard platform (included) features a non-slip, rubber coated surface, ideal for tissue culture flasks, Petri dishes and staining trays. The convenient MAGic Clamp™ platform is also available for use with Erlenmeyer flasks and test tube racks. The unique, magnetic attachment method is the easiest way to instantly change between flask clamps of different sizes.

23% OFF

- Extremely compact, just 280mm wide
- Touch screen control over time, speed and temperature
- Horizontally circular 19mm orbit for aeration & mixing
- Instantly exchange flask clamps with MAGic Clamp™ accessories
- Program STEP feature for linking consecutive programs

Code	Temp Range, °C	Temp Uniformity/ Accuracy, ±%	Speed Range, RPM	Orbit, mm	Dims, w x d x h, mm	Weight, kg	Offer Price €	Offer Price £
F151359	Ambient +5-70	0.25/0.1	30-300	19	280 x 480 x 330	11.5	2400.00	2000.00

15% discount off a selected list of Corning® CoolCell® products*

CORNING

Register your next FBS batch reservation testing date with your Analab Sales Representative or Corning Sales Segment Specialist and receive 15% discount off a selected list of Corning CoolCell products.*

If you order 10+ bottles then you will also receive a free pack of Corning CoolCell grippers**.

For FBS registrations from February 1, 2021 through May 31, 2021

To redeem this promotion:

Contact your Analab Sales Representative or Corning Sales Segment Specialist and quote "FBS Focus 2021" to register. Terms and Conditions: Registration information must be received by May 31, 2021.

*Selected list of Corning CoolCell products are available upon request from your Analab Sales Representative or Corning Sales Segment Specialist.
**Free goods shipped separately and limited to 1 set of grippers per lab.

© 2021 Corning Incorporated. All rights reserved. 1/21 AD-SLS Focus Brochure Promo-21

Stuart Incubated Shakers

3 YEARS

stuart

20% OFF

- Temperature range: Ambient +5°C to 60°C
- Versatile clamping system, securing most sizes and mixtures of flasks or bottles
- Provides an orbital shaking motion, adjustable between 30 to 300rpm with a gentle start action.
- Digital timer can be set from 1 second to 9 days
- Combined incubator shakers
- Digital display for temperature and speed
- Unique retractable platform for easy loading and unloading
- Angle adjustable accessory tube racks
- Communications enabled for external temperature measurement
- With BioCote antimicrobial protection
- Max load: 10kg

Code	Description	Capacity, L	Platform Dims, mm	Overall Dims, w x d x h, mm	Weight, kg	Offer Price €	Offer Price £
F151005	Stuart SI500 Shaking Incubator	51	335 x 335	450 x 474 x 522	30	3613.00	3011.00
F151006	Stuart SI600 Shaking Incubator	115	525 x 390	675 x 542 x 642	55	4490.00	3742.00

Sample Bags

Resealable

PE Resealable Sample Bags

Supplied in packs of 100

Code	Dims, w x l, mm	List Price €	List Price £
BAG1006	100 x 140	5.20	4.34

OHAUS Achiever™ 5000 Overhead Stirrers

NEW

Powerful mixing and constant speed is assured with the brushless motor and torque compensation technology - delivering accurate, controlled stirring of viscous liquids with quiet operation.

- Display: Bright LED digital display for speed, real time torque tendency LED indicator bar, and integrated timer
- Operation: Stirring from 6 rpm to 2000 rpm with speed accuracy of 1 rpm and maximum torque from 20 Ncm to 200 Ncm depending on model, stable torque at any speed, and volume capacity ranging from 25L to 100L
- Construction: Sealed aluminium housing with IP54 ingress protection rating, Keyless Chuck for simple, one-hand operation, brushless motor for quiet operation, and main power switch
- Design Features: Compact design for easy handling, keyless chuck, simple knob control, lock button to prevent unintentional setting changes, full protection for overload, overtemperature and overcurrent conditions

See website for accessories

30% OFF

Code	Description	Speed Range, RPM	Capacity, L	Sample Viscosity, mPa·s	Offer Price €	Offer Price £
F151086	e-A51ST020	30-2000	25	10000	673.00	561.00
F151087	e-A51ST040	30-2000	25	25000	725.00	604.00
F151088	e-A51ST060	30-2000	40	50000	822.00	685.00
F151089	e-A51ST100	30-1300	100	70000	1196.00	997.00
F151090	e-A51ST200	6-400; 30-2000	100	100000	1345.00	1121.00

Techne Prime Thermal Cyclers

4 YEARS

TECHNE

20% OFF

Designed for easy programming via a touch screen interface for increased flexibility and high performance. Gradient functionality can be accessed directly through the G model whilst the base models can be upgraded to add this functionality if required at a later date.

- Compact footprint
- Colour touchscreen for ease of programming
- Temperature range 10 to 100°C,
- 3°C/sec ramp rate
- Compatible with different block sizes available separately

Code	Description	Tube Capacity	Offer Price €	Offer Price £
F151011	3PrimeG Gradient Thermal Cycler	48 x 0.2mL	2980.00	2483.00
F151012	Prime Thermal Cycler	96 x 0.2mL	3210.00	2675.00
F151013	Prime Thermal Cycler	384-Well Block	3210.00	2675.00

SLS Flowgen MultiSUB Choice Tanks

2 YEARS

FLOWGEN

With two wide tray options (150 x 100 and 150 x 150mm) and multichannel pipette compatible combs for speed loading, MultiSUB Choice offers a wide degree of flexibility.

Ideal for restriction fragment analysis, sample prep or checking of high sample numbers

35% OFF

- Run up to 210 samples
- Low buffer volumes
- Multichannel pipette compatible combs for speed loading
- Supplied with 2 x 20 sample combs, loading guides and dams

See website for more electrophoresis offers!

Code	Description	Gel Dims, w x l, mm	MaxCapacity	Offer Price €	Offer Price £
MSCHOICE10	MultiSUB Choice 10	150 x 100	140 samples	294.00	245.00
MSCHOICE15	MultiSUB Choice 15	150 x 150	210 samples	294.00	245.00



TAE Buffer (50X) Concentration for Agarose DNA Electrophoresis - 1L

OVER 45% OFF

Code	Offer Price €	Offer Price £
F151710	53.00	43.78

SLS Flowgen Mini Rapide Tank

2 YEARS

35% OFF

FLOWGEN

An ultra-compact self-contained system for routine molecular biology procedures and quick checks of samples. Buffer and gel volumes kept to a minimum to maximise current and separation speed.

- A convenient self contained solution for routine agarose gel electrophoresis
- Ultra compact
- Low buffer volumes
- Multichannel pipette compatible combs for speed loading

See website for more electrophoresis offers!

Code	Dims, w x d x h, mm	Supplied with	Offer Price €	Offer Price £
FMMS10	150 x 150 x 40	2 x 8 sample combs 1.5mm, casting dams	235.00	196.00

TBE Buffer 10X Concentration for DNA/RNA Electrophoresis - 4L

OVER 45% OFF

Code	Offer Price €	Offer Price £
F151711	50.00	41.96

Cleaver nanoPAC-300P Power Supply

2 YEARS

Cleaver SCIENTIFIC

20% OFF

- Ideal for use with DNA/RNA (Horizontal) and protein (vertical) electrophoresis systems
- Includes a simple two step feature which allows users to set a programmable change in voltage/current/time during the run
- Enhanced in-built safety features
- A conspicuous 3-digit LED
- Alarm function
- Wipe-clean polycarbonate housing

Code	Max Voltage, V	Max Current, mA	Max Power, W	Output Pairs	Dims, w x d x h, mm	Offer Price €	Offer Price £
NANOPAC-300	300	400	60	2	140 x 191 x 84	328.00	273.00

Cleaver PowerPro 300 Power Supply

2 YEARS

Cleaver SCIENTIFIC

20% OFF

The PowerPro 300 is the ideal power supply for routine horizontal electrophoresis using multiSUB Mini, Midi and Choice and vertical electrophoresis using omniPAGE Mini.

- With built in pre-set protocols.
- 2.4" LCD screen
- Browse preset and saved protocols, store up to 30 programmes with up to 6 steps
- Can be operated at constant voltage, constant current or constant power and
- Pause/resume key allows any run to be temporarily halted and restarted from the same position

Code	Max Voltage, V	Max Current, mA	Max Power, W	Output Pairs	Dims, w x d x h, mm	Offer Price €	Offer Price £
ELE2600	300	400	60	2	215 x 335 x 104	418.00	348.00

Mettler Toledo SevenCompact™ S210 pH Meter Bundles

The SevenCompact™ pH meter S210 is the perfect choice for a wide range of applications. Starting a measurement or calibration has never been easier, requiring only a single key-press.

- Fast and accurate measurements
- 4.3-inch high resolution colour display
- GLP compliant
- Intelligent Sensor Management® to automatically identify the sensor upon connection
- Automatic buffer recognition
- Service offering, including IQ/OQ
- Watertight and dustproof (IP54)
- All supplied with electrode holder and protective cover

30% OFF
with FREE
pH Buffer
Pack

Each bundle supplied with FREE pH Buffer Rainbow Kit containing 2x 250mL each pH 4.01/7.00/9.21

Code	Description	Supplied with	Offer Price €	Offer Price £
F151375	S210 Standard pH/mV Meter Bundle	InLab Expert Pro-ISM Probe	709.00	591.00
F151376	S210 Biotech pH/mV Meter Bundle	InLab Routine Pro-ISM Probe	744.00	620.00

SLS Select

pH Electrodes

SLS Select pH Electrodes

30% OFF

Each combination electrode is supplied with 1m length of cable and a BNC plug. All electrodes have a pH range of 0-14 and a temperature range of 0-80°C. Suitable for liquid applications.

Code	Body Material	Junction	Length, mm	Width, mm	Offer Price €	Offer Price £
F151369	Epoxy	Porous Teflon	120	12	43.20	36.00
F151370	Glass	Annular Ceramic	120	12	43.20	36.00

Thermo Scientific™ Orion Star™ A221 Benchtop pH Meters

Record accurate and reliable pH, mV, ORP and temperature measurements with the A211 pH Benchtop Meter.

- Perform up to a five point pH calibration using automatic buffer recognition of NIST or DIN buffer groups with choice to manually enter custom buffer values
- Calibration editing option allows individual points to be fixed without a full recalibration
- Informative, easy-to-read backlit graphic display with clear onscreen instructions simplifies operation
- Capture your critical readings with measurement stability indicator and selectable read modes
- Calibration log stores ten most recent calibrations
- Non-volatile meter memory ensures your data and settings are protected, even with loss of power
- Orion Star Com software facilitates data transfer to a computer via USB or RS232 connections
- IP54-rated housing resists dust and splashes
- Each kit supplied with buffer kit, electrode stand, power adapter and computer cable

30% OFF

Code	Description	Supplied with	Offer Price €	Offer Price £
F151038	ROSS Difficult Sample Meter Kit	Star A211 pH meter, 8172BNWP ROSS Sure-Flow glass-body pH electrode and 927007MD stainless steel ATC probe	770.00	642.00
F151039	Standard ROSS Meter Kit	Star A211 pH meter and 8302BNUMD ROSS Ultra glass-body pH/ATC electrode	710.00	592.00
F151040	Durable ROSS Meter Kit	Star A211 pH meter and 8157BNUMD ROSS Ultra epoxy-body pH/ATC electrode	715.00	596.00
F151041	General Purpose Meter Kit	Star A211 pH meter and 9157BNMD epoxy-body pH/ATC electrode	662.00	552.00
F151042	Separate pH & ATC Sensor Meter Kit	Star A211 pH meter, 8102BNUWP ROSS Ultra glass-body pH electrode and 927007MD stainless steel ATC probe	614.00	512.00
F151043	Food & Beverage Meter Kit	Star A211 pH meter, 9165BNWP Sure-Flow epoxy-body pH electrode and 927007MD stainless steel ATC probe	700.00	583.00

Thermo Scientific™ Orion Star™ A111 Benchtop pH Meters

3 YEARS

Thermo SCIENTIFIC

Take simple, routine pH, mV and temperature measurements with the A111 Benchtop pH Meter, an easy-to-use and budget-friendly instrument for basic pH analysis in the lab.

30% OFF

- Perform up to a three point pH calibration with easy recall of calibration points and slope
- Large, informative screen clearly shows the main information, including pH or mV reading, temperature, meter mode, calibration information and power source.
- Thermo Scientific™ AUTO-READ™ locks in the stable reading on your screen and ready indicator alerts when readings are stable
- The IP54-rated housing can handle splashes and can be wall-mounted if table space is a problem
- Each kit supplied with buffer kit, electrode stand and power adapter

Code	Description	Supplied with	Offer Price €	Offer Price £
F151044	Standard Meter Kit	Star A111 pH meter and 9157BNMD epoxy-body pH/ATC electrode	482.00	402.00
F151045	TRIS-Compatible Meter Kit	Star A111 pH meter, GD9156BNWP Double Junction pH electrode and 927007MD stainless steel ATC probe	526.00	438.00
F151046	ROSS TRIS-Compatible Meter Kit	Star A111 pH meter and 8157BNUMD ROSS Ultra epoxy-body pH/ATC electrode	656.00	547.00

Corning®

Mini Microcentrifuge

25% OFF

Corning® LSE™ Mini Microcentrifuge

- Includes an 8-place 1.5/2.0mL rotor with adapters for 0.5/0.4mL and 0.2mL tubes and a 4-place rotor for PCR strip tubes
- Fixed speed of 6000 rpm generates 2000 × g

Code	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151061	148 x 174 x 122	167.00	139.00

Benchmark MC-12™ High Speed Centrifuge

2 YEARS

Benchmark Scientific

Benchmark's MC-12™ is the first and only compact microcentrifuge capable of achieving centrifugal speeds up to the critical threshold of 16,000 × g, often held as the standard for many molecular biology/DNA protocols.

- 12 tube capacity / Up to 16,100 × g
- Less than 9 in. wide
- Quick deceleration
- Whisper quiet operation

25% OFF

Code	Max Speed, RPM	Max Speed, x g	Dims, w x d x h, mm	Weight, kg	Offer Price €	Offer Price £
F151252	15500	16100	220 x 270 x 150	4.8	1187.00	989.00

Benchmark MC-24™ Touch High Speed Microcentrifuge with COMBI-Rotor™

2 YEARS

Benchmark Scientific

Benchmark's MC-24™ Touch is the first microcentrifuge in its class to feature touch screen control. It also offers high speed and a unique COMBI-Rotor™ that accepts both standard microtubes (1.5/2.0mL) and PCR tubes/strips (0.2mL) without additional adapters.

- Full colour touch screen shows actual speed along with set and remaining time
- Up to 9 speed/time profiles can be stored in memory
- mySpin™ 1 button program recall
- COMBI-Rotor™ accepts tubes and strips
- Unique air-flow system, keeps samples cool
- Optional rotor/adapters available

35% OFF

Code	Max Speed, RPM	Max Speed, x g	Dims, w x d x h, mm	Weight, kg	Offer Price €	Offer Price £
F151253	13500	16800	230 x 305 x 197	6.4	1700.00	1416.00

OHAUS PR Analytical Balances

Designed for routine weighing applications in your workplace offering basic functionality for routine weighing applications. Designed for uncomplicated operation with easy-to-use display and interface with smart design and durable construction.

- 4 built in applications
- Backlight LCD display
- Constructed with ABS housing, removable stainless steel pan, glass draftshield with sliding top door, integrated weigh-below-hook, security bracket, and calibration lock
- User-selectable environmental filters, auto-tare, user-selectable span calibration points, software lockout and reset menu, user-selectable communication settings and data print options, overload/underload indicator, stability indicator

30% OFF

Code	Capacity, g	Readability, mg	Calibration	Offer Price €	Offer Price £
F151104	120	0.1	External	668.00	557.00
F151105	120	0.1	Internal	781.00	651.00
F151106	220	0.1	External	727.00	606.00
F151107	220	0.1	Internal	840.00	700.00

Incubating Heavy Duty Shakers

Our new shakers can do the work of multiple devices with unparalleled efficiency

Ingeniously Practical

Check the Analab website for the 'Focus Extra' launch offer

OHAUS PR Precision Balances

Designed for routine weighing applications in your workplace offering basic functionality for routine weighing applications. Designed for uncomplicated operation with easy-to-use display and interface with smart design and durable construction.

- 4 built in applications
- Backlight LCD display
- Constructed with ABS housing, removable stainless steel pan, glass draftshield with sliding top door (on 0.001g models only), integrated weigh-below-hook, security bracket, and calibration lock
- Design features: User-selectable environmental filters and brightness settings, auto-tare, auto-dim, user-selectable span calibration points, software lockout and reset menu, user-selectable communication settings and data print options, software overload/underload indicator, stability indicator

30% OFF

Code	Capacity, g	Readability, g	Calibration	Offer Price €	Offer Price £
F151108	220	0.001	External	479.00	399.00
F151109	220	0.001	Internal	588.00	490.00
F151110	420	0.001	External	492.00	410.00
F151111	420	0.001	Internal	601.00	501.00
F151112	520	0.001	External	517.00	431.00
F151113	520	0.001	Internal	630.00	525.00
F151114	1600	0.01	External	492.00	410.00
F151115	1600	0.01	Internal	601.00	501.00
F151116	2200	0.01	External	509.00	424.00
F151117	2200	0.01	Internal	622.00	518.00
F151118	4200	0.01	External	529.00	441.00
F151119	4200	0.01	Internal	643.00	536.00
F151120	4200	0.1	External	450.00	375.00
F151121	4200	0.1	Internal	559.00	466.00
F151122	6200	0.1	External	467.00	389.00
F151123	6200	0.1	Internal	576.00	480.00

SLS Lab Pro A-Series Analytical Balances

5 YEARS

These top-loading analytical balances have a compact footprint. The breeze break has rotary sliding doors that slide behind the balance and can be removed with one touch. These features, combined with the small footprint, make the balances ideal for applications where space is at a premium.

- Compact footprint
- Reverse backlit LCD display for easy to read weighing results
- Statistical calculation function eliminates the need for a stats printer
- Standard RS-232C
- Fast, compact SHS sensor, response time ~2 seconds

40% OFF

Code	Capacity, g	Readability, mg	Calibration	Offer Price €	Offer Price £
F151338	102	0.1	External	617.00	514.00
F151336	102	0.1	Internal	749.00	624.00
F151339	152	0.1	External	672.00	560.00
F151340	152	0.1	Internal	786.00	655.00
F151341	252	0.1	External	791.00	659.00
F151337	252	0.1	Internal	946.00	788.00

Beakers

Packs of 10

Polypropylene Beakers

With plastic moulded graduations.

Supplied in packs of 10.

Code	Capacity, mL	List Price €	List Price £
BEA60000	50	4.80	4.00
BEA60020	100	6.00	5.00
BEA60040	250	8.40	7.00
BEA60060	500	14.40	12.00
BEA60080	1000	22.20	18.50

Grant SBB Aqua Plus Boiling Unstirred Waterbaths

3 YEARS

grant

The SBB Aqua Plus boiling baths are robust, reliable and provide continuous 100°C operation. The range consists of four analogue models to suit a range of applications and any budget.

- Adjustable energy regulator provides steady boiling
- Constant level device maintains liquid level
- Robust and reliable design to withstand everyday wear and tear
- Simple, intuitive controls with quick and easy to set temperature
- Non-drip polycarbonate lid included as standard
- Temperature range: 0 to 100°C

15% OFF

Code	Capacity, L	Ext Dims, w x d x h, mm	Int Dims, w x l, mm	Offer Price €	Offer Price £
F151239	5	390 x 250 x 375	145 x 290	758.00	632.00
F151236	12	390 x 385 x 440	315 x 290	820.00	683.00
F151237	18	390 x 600 x 445	495 x 290	882.00	735.00
F151238	26	390 x 600 x 445	495 x 290	953.00	794.00

Grant Aqua Pro Shaking Water Baths

3 YEARS

grant

The Aqua Pro shaking water bath range offers exceptional temperature performance and usability. With three bath models to choose from, there is a shaking water bath to meet basic and demanding applications in research, industry and life sciences. Includes clear polycarbonate lid and universal tray included as standard, other shaking trays sold separately.

- Temperature range: ambient +5 to 99°C
- Stability: ±0.1°C
- Digital control/LED display
- Linear shaking speed 20 - 200 rpm
- Adjustable shaking speed and stroke length (OLS26)

15% OFF

Code	Model	Capacity, L	Shaking Mode	Ext Dims, w x d x h, mm	Int. Dims, w x d, mm	Offer Price €	Offer Price £
F151240	OLS26	26	Orbital + Linear	325 x 565 x 335	380 x 235	2641.00	2201.00
F151241	LSB12	12	Linear	275 x 360 x 335	240 x 235	1901.00	1584.00
F151242	LSB18	18	Linear	275 x 595 x 335	420 x 235	2102.00	1752.00

SLS Lab Pro Safevac Aspiration System

Designed for laboratory waste recovery and separation of liquid and solid. Can be widely used in cell culture, DNA extraction, microplate waste removal, and any other liquid separation or recovery.

- Vacuum power can be set to different levels to achieve 1–15mL/s aspirating speed
- Sensitive level sensor to prevent liquid overflow during operation
- Waste bottle, tubing and handle are fully autoclavable
- Lid, tubing and handle are easy for disassembling, cleaning and autoclaving
- Wide range of adapters to fit tubes and microplates

50% OFF

Code	Vacuum Range, mbar	Vacuum Speed, mL/S	Volume, L	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151283	0-600	1-15	4	180 x 240 x 450	690.00	575.00

Epredia Shandon MX35 Ultra - Low Profile Microtome Blades

25% OFF

Code	Blade Angle °	Pack	Offer Price €	Offer Price £
F151367	34	50	66.00	55.00

SLS Lab Basics Inverso TC100 Inverted Microscope

1 YEAR

20% OFF

Ideal for the typical working laboratory and is built to a high-quality specification. It is robust enough to withstand the rigours of constant daily use and with a quintuple position nose-piece fitted as standard, it is ideally suited for multiple observation techniques and/or magnifications.

- Trinocular head inclined at 45°
- Eyepieces: 10/20mm wide field
- Objectives: 4X, 40X plan-achromatic LWD/10X, 20X, 40X Phase Contrast
- Condenser: NA 0.3 (removable), working distance 72mm
- Stage: 160 x 250mm with additional mechanical stage (2 interchangeable stage plates) stage extending board
- Focusing: coaxial coarse and fine
- Illumination: 3W LED

Code	Description	Offer Price €	Offer Price £
F151126	SLS Lab Basics Inverso TC100 Inverted Microscope	3240.00	2700.00

SLS Lab Basics Tablet Microscope Camera

8% OFF

Tablet camera especially designed for microscopy applications. Comes with a high-definition 9.7" colour LCD touchscreen and is equipped with software that allows the user to preview an image, set the white balance, capture images and videos as well as having measurement and annotation capabilities.

- Integral C-mount fitting
- RK3066 dual-core 1.5Hz CPU touch screen operation, can be used as a small computer
- Keyboard and mouse can also be used to operate
- Includes Wi-Fi and Bluetooth wireless networking for easy file exchange
- Storage: external SD memory card - up to 32GB

Code	CPU	Memory	Camera	Offer Price €	Offer Price £
F151127	RK3066 dual-core 1.5Hz	ROM 2GB; RAM 1GB DDR3	15fps at 1024 x 768; 1/2.5 (4:3) 5Mpx CMOS	1020.00	850.00

Jenway Genova Bio Life Science Spectrophotometers

Jenway

20% OFF

This spectrophotometer measures across a UV/visible wavelength range of 198 to 800nm, with a narrow spectral bandwidth of 3nm.

The TrayCell is a fibre optic cuvette which can be used with as little as 0.7µL of sample. The cuvette is supplied with two caps which give path lengths of either 1mm or 0.2mm, thus creating a "virtual dilution" of 1:10 or 1:50 of the sample when compared to a measurement with a standard 10 mm cuvette.

- Pre-programmed for DNA, RNA and protein analysis
- Compatible with ultra-micro, semi-micro, micro and macro cuvettes
- Scanning diode array technology
- Colour touchscreen navigation
- Small footprint and lightweight (<3kg)
- Fast scan speed
- Multiple USB ports for data storage and printer connectivity

Code	Description	Offer Price €	Offer Price £
F151001	Genova Bio Life Science Spectrophotometer with Micro-Cuvette Holder	2972.00	2477.00
F151002	Genova Bio Life Science Spectrophotometer with Micro-Cuvette Holder and TrayCell Accessory	5798.00	4832.00

BioDrop+ Microvolume UV/Vis Spectrophotometers

BioDrop

20% OFF

BioDrop spectrophotometers come with intuitive and easy to use software and a USB port for PC control and data export. BioDrop Resolution software is pre programmed for DNA, RNA, oligo, fluorescent dye labelling efficiency, Tm calculation, quick measurements and colourimetric protein methods (with standard 10mm cuvette only).

- Light source: pulsed xenon lamp with a 3 year warranty
- Colour Touchscreen
- Wavelength range, nm: 190 - 1100
- Absorbance range: 0.3A - 2.5A
- DNA detection limit (ng/µL): 1
- Micro-volume port - simply pipette 0.5µL or more in the centre, measure, then wipe clean; Duo+ also comes with a standard 10 x 10mm cuvette port
- Output: USB port
- Dims, mm, 260 x 420 x 185

Code	Description	Offer Price €	Offer Price £
F151128	BioDrop µLite+ Spectrophotometer with 0.5mm Micro-Volume Port	6230.00	5192.00
F151129	BioDrop Duo+ Spectrophotometer with 10mm Cell Holder and 0.5mm Micro-Volume Port	7268.00	6057.00
F151130	BioDrop µLite+ Spectrophotometer with 0.5mm Micro-Volume Port and Built-In Printer	6594.00	5495.00

Welch MPC Chemical Duty Vacuum Filtration Diaphragm Pump

1 YEAR

Suitable for vacuum filtration and desiccation applications. The standard equipment of a high accuracy regulator allows for soft start filtration, to prevent damage to the filter membrane, whilst allowing a powerful final vacuum level to be achieved for fast results. A built-in catch pot prevents accidental ingestion of liquid into the pump.

- Chemical resistant
- Oil free
- Two heads, one stage
- Ultra quiet operation and long service life

20% OFF

Code	Model	Flow Rate, L/min	Ultimate Vacuum, mbar	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151714	MPC090E	15	100	144 x 198 x 244	571.00	476.00

Welch MPC Chemical Duty Diaphragm Vacuum Pumps

1 YEAR

Welch MPC chemical duty diaphragm vacuum pumps have been developed specifically to meet the requirement for oil-free vacuum generation. Their low weight and excellent ergonomics, make Welch diaphragm pumps the first choice for most laboratory applications. MPC models use PTFE and other fluorinated plastics for the wetted parts to allow aggressive solvent and acid vapours to be pumped.

- Analytically pure, oil free vacuum
- User friendly
- Lightweight, rugged design
- Designed for continuous operation
- Maintenance-free drive system and proven long diaphragm life
- Minimal operation vibration

FREE Dial Gauge Regulator worth €260

Code	Model	Flow Rate, L/min	Ultimate Vacuum, mbar	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151371	MPC105T	20	2	235 x 189 x 277	1650.00	1375.00
F151372	MPC095Z	15	5	235 x 189 x 277	1014.00	845.00

INTEGRA Biosciences DOSE IT Peristaltic Pump

1 YEAR

INTEGRA

DOSE IT the peristaltic pump which makes dispensing culture media, buffers and other solutions easy and efficient. Suitable for a broad range of dose volumes DOSE IT can dispense with high accuracy since it is compatible with tubing from 1mm bore for small doses to 8mm tubing for high-throughput pumping.
Supplied with 1x tubing (inner Ø 4mm, length 2.5m), 2x aspiration/dispensing tubes (length 10cm, stainless steel, one end dented), and 1x aspiration/dispensing tube (length 35cm, stainless steel, one end dented).

20% OFF

Code	Dose Volume, mL	Flow rate, mL/min	Weight, kg	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151368	0.1-9999	0.6-5000	3.5	191 x 203 x 210	2983.00	2486.00

LEEC Culture Safe CO_2 Incubators

2 YEARS

LEEC

- Electro-polished, one-piece chamber made from high grade 304 stainless steel
- Anti-bacterial powder coat paint finish
- Inner glass door and side access port
- 160°C decontamination option (P190D); 200°C sterilisation (S models)
- Simple control system on Precision models; touch screen controller on Touch models
- No internal fan (less risk of contamination)
- 6 sided direct heating system with high performance insulation
- Temperature range: +5 to +60°C; CO_2 range 0-20%

30% OFF

Code	Alt Ref	Model	Capacity, L	Int Dims, w x d x h, mm	Ext Dims, w x d x h, mm	Offer Price €	Offer Price £
F151200	P50	Precision	50	402 x 300 x 402	534 x 460 x 736	3283.00	2736.00
F151198	P190	Precision	190	634 x 440 x 686	765 x 740 x 862	3806.00	3172.00
F151199	P190D	Precision	190	634 x 440 x 686	765 x 740 x 862	4001.00	3334.00
F151203	T50S	Touch	50	402 x 300 x 402	534 x 460 x 717	4057.00	3381.00
F151201	T190	Touch	190	632 x 440 x 686	765 x 734 x 862	4990.00	4158.00
F151202	T190S	Touch	190	632 x 440 x 686	765 x 734 x 862	5357.00	4464.00

LTE IP Series Incubators

5 YEARS

The IP Series of incubators offers maximum flexibility and unparalleled performance with fast heat-up times, almost undetectable overshoot and superb accuracy make the IP Series a class-leading product.

U models: uni-program system offers single temperature selection and control. Following a mains power failure, the controller will automatically reinstate.

M models: multi-program controller allows up to 8 multiple-step cycles to be stored in the memory. It incorporates a selectable temperature ramping function, which allows controlled temperature rise and fall rates to be programmed into a cycle. At the end of a program sequence, the controller can be programmed to stop or repeat the sequence again. Following a mains power failure, M models have 3 recovery options.

- Temperature range 30 to 80°C
- Digital display of set and actual temperatures (and programmed features on M models)
- Class 2 over-temperature protection
- Stainless steel radiused interiors
- Anti-bacterial epoxy powder coating
- Special promotional 5 year warranty included

10% OFF
with 5 YEAR
PROMOTIONAL
WARRANTY

Code	Model	Capacity, L	Air Circulation	Shelf Positions	Int Dims, w x d x h, mm	Ext Dims, w x d x h, mm	Offer Price €	Offer Price £
F151220	U	60	Natural Convection	2/6	400 x 400 x 400	735 x 575 x 590	1685.00	1404.00
F151221	U	60	Fan Circulation	2/6	400 x 400 x 400	735 x 575 x 590	1858.00	1548.00
F151222	M	60	Natural Convection	2/6	400 x 400 x 400	735 x 575 x 590	2230.00	1858.00
F151223	M	60	Fan Circulation	2/6	400 x 400 x 400	735 x 575 x 590	2434.00	2028.00
F151224	U	100	Natural Convection	2/8	500 x 400 x 500	835 x 575 x 690	1838.00	1532.00
F151225	U	100	Fan Circulation	2/8	500 x 400 x 500	835 x 575 x 690	2026.00	1688.00
F151226	M	100	Natural Convection	2/8	500 x 400 x 500	835 x 575 x 690	2400.00	2000.00
F151227	M	100	Fan Circulation	2/8	500 x 400 x 500	835 x 575 x 690	2627.00	2189.00
F151228	U	150	Natural Convection	2/10	500 x 500 x 600	835 x 675 x 790	2364.00	1970.00
F151229	U	150	Fan Circulation	2/10	500 x 500 x 600	835 x 675 x 790	2598.00	2165.00
F151230	M	150	Natural Convection	2/10	500 x 500 x 600	835 x 675 x 790	3048.00	2540.00
F151231	M	150	Fan Circulation	2/10	500 x 500 x 600	835 x 675 x 790	3263.00	2719.00
F151232	U	250	Natural Convection	3/18	500 x 500 x 1000	835 x 675 x 1190	3031.00	2526.00
F151233	U	250	Fan Circulation	3/18	500 x 500 x 1000	835 x 675 x 1190	3266.00	2721.00
F151234	M	250	Natural Convection	3/18	500 x 500 x 1000	835 x 675 x 1190	3646.00	3038.00
F151235	M	250	Fan Circulation	3/18	500 x 500 x 1000	835 x 675 x 1190	3913.00	3261.00

LMS Series 4 Cooled Incubators

2 YEARS

Offering reliable and accurate temperature control, operating between -10°C to +50°C. The design of these cabinets facilitates the addition of optional extras to provide even greater flexibility for individual applications. The range comprise of 2 cabinet sizes, 600 and 1200L capacity. These cabinets offer the ability to cope with large workloads and the flexibility with the addition of optional extras to suit most applications.

- Digital set/display
- Fan-assisted circulation
- Hermetically-sealed refrigeration system
- Self-evaporating condensation drip tray
- Preset overheat protection
- For 220/240V, single phase supply
- Stainless steel interior and exterior
- A full range of upgrades including fruit fly modification are also available to suit your requirements, please enquire for details

15% OFF

Code	Capacity, L	Control	No. of Shelves	Ext Dims, w x d x h, mm	Offer Price €	Offer Price £
F151149	600	Single Set Point	5	800 x 900 x 2080	5281.00	4401.00
F151150	600	Fully Programmable	5	800 x 900 x 2080	5654.00	4712.00
F151151	1200	Single Set Point	10	1500 x 900 x 1080	7028.00	5857.00
F151152	1200	Fully Programmable	10	1500 x 900 x 1080	7349.00	6124.00

Xylem

Room Climate Monitor

Xylem Ebro RM 100 Room Climate Monitor

35% OFF

The room climate monitor RM 100 measures the air temperature, humidity and CO_2 value.

Code	Dims, w x d x h, mm	Weight, g	Display	Offer Price €	Offer Price £
F151131	137 x 51 x 99	200	LCD	108.00	90.00

Xylem

Temperature Logger Sets

Xylem Ebro EBI 20 Temperature Logger Sets

30% OFF

Code	Description	Offer Price €	Offer Price £
F151139	TF Temperature Data Logger with External Sensor (Food-Logger)	176.00	147.00
F151146	T1 Temperature Data Logger with Internal Sensor	116.00	97.00
F151147	TE1 Temperature Data Logger with External Penetration Probe	158.00	132.00
F151148	TH1 Humidity/Temperature Data Logger with Internal Sensor	145.00	121.00

Liebherr LGv5010 Mediline Freezer

2 YEARS

LIEBHERR

- Features no frost technology
- Temperature is accurate to 0.1°C and shown in real time
- Advanced comfort digital electronic temperature display
- Visual & audio fault warning alarms (high/low temp & door open)
- Door lock
- Self-closing door
- Environmentally friendly refrigerant used
- Comes with 8 removable drawers and 2 removable baskets

30% OFF

Code	Temp Range, °C	Capacity, L	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151665	-9 to -35	478	747 x 750 x 1844	2410.00	2008.00

Liebherr LKv5710 Mediline Refrigerator

2 YEARS

LIEBHERR

- Temperature is accurate to 0.1°C and shown in real time
- Forced air cooling, automatic defrost
- Electronic controller (which can be set in the temperature range)
- Digital temperature display
- Visual & audio fault warning alarms (high/low temp & door open)
- Integrated data memory
- Door lock
- Self-closing door
- Environmentally friendly refrigerant used
- Five adjustable shelves, 60kg loading capacity each shelf

30% OFF

Code	Temp Range, °C	Capacity, L	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151666	+3 to +16	583	751 x 750 x 1844	1847.00	1539.00

Liebherr LCexv4010 Medline Fridge Freezer

2 YEARS

LIEBHERR

- Forced air cooling, automatic defrost
- Digital temperature display
- Visual & audio fault warning alarms (high/low temp & door open)
- Door lock
- Self-closing door
- Environmentally friendly refrigerant used
- Five adjustable fridge shelves, 40kg loading capacity each shelf and three removable freezer drawers

30% OFF

Code	Temp Range, °C	Capacity, L (Freezer)	Capacity, L (Fridge)	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151667	-9 to -30; +3 to +16	107	254	601 x 618 x 2003	1906.00	1588.00

SLS Lab Pro PurA-Q+ Type 1 & 2 Water Purification Systems

PurA-Q+ combines ultrapure (type 1) and DI (type 2) water in one unit saving you money and space. The system is fed from mains water and produces Type 2 DI water up to 160L/day into a reservoir size of your choice. Choose a Type 2 production rate to suit your requirements, 10 or 20L/hour. The PurA-Q+ also produces Type 1 Ultrapure water at 18.2 MΩ-cm swiftly on demand from the integrated dispenser or optional remote dispenser at up to 2L/min. The output can either be continuous or volumetrically dispensed with an intuitive and simple software control.

- Quick-change consumables with a realistic cost (first pack included)
- Novel recirculation loop extends the life of membranes and cartridges
- Bench, wall or reservoir top mounting
- Choice of storage reservoir: 30, 60L or 100L (required)
- Comprehensive monitoring of water quality including TOC (Total Organic Carbon)
- Integral boost pump
- Ultrafiltration option to remove pyrogens (bacterial endotoxins) and nucleases

46% OFF

Code	Model	Type 2 Water Rate. L/hr	Dispenser	Ultrafiltration	Offer Price €	Offer Price £
F151352	+10	10	Integral	No	5508.00	4590.00
F151353	+10 R	10	Remote	No	5760.00	4800.00
F151351	+10 UF	10	Integral	Yes	5658.00	4715.00
F151354	+10 UF R	10	Remote	Yes	5910.00	4925.00
F151355	+20	20	Integral	No	5994.00	4995.00
F151356	+20 R	20	Remote	No	6252.00	5210.00
F151357	+20 UF	20	Integral	Yes	6150.00	5125.00
F151358	+20 UF R	20	Remote	Yes	6402.00	5335.00

Reservoirs

Code	Capacity, L	Dims, w x d x h, mm	Offer Price €	Offer Price £
F151364	30	405 x 230 x 495	522.00	435.00
F151365	60	405 x 330 x 495	612.00	510.00
F151366	100	480 x 360 x 810	888.00	740.00

Astell SQUARE Autoclaves

Astell's SQUARE autoclave range offers the choice of seven different chamber sizes ranging from 125 to 735 litres and various heating, loading and door options. The SQUARE range is suitable for sterilising glassware, fluids, waste and porous type loads (subject to configuration). Astell's SQUARE autoclaves are regularly used in scientific research laboratories, production process manufacturing, veterinary and medical healthcare, food and beverage industries and many more.

Including:

- Digital Touchscreen Controller
- Automatic Sliding Door
- Powerful and Efficient 48kW Integral Steam Generator
- Advanced Pulsar Vacuum System for enhanced air removal and drying
- Heating and Cooling Vessel Jacket for accelerated process times and dried sterilized loads
- Load Sensed Process Timing probe to improve liquid sterilisation times
- Air Ballast to mitigate liquid boil-over
- Chamber Shelving
- Morrison Discard Container
- Water Softening Unit
- Capacity for wide array of additional options, customisations, and modifications

FREE Load Sense Process Timer probe, Air Ballast feature and Morrison Discard Container

15% OFF
with FREE
Accessories
Worth €2139

Code	Volume, L	Doors	Door Mech.	Steam Generator	Chamber Dims, w x d x h, mm	Overall Dims, w x d x h, mm	Offer Price €	Offer Price £
F151153	125	1	Auto or Manual	24kW	500 x 500 x 500	780 x 1300 x 2000	39576.00	32980.00
F151154	216	1	Auto or Manual	24kW	600 x 600 x 600	880 x 1400 x 2000	42886.00	35738.00
F151155	250	1 or 2	Auto or Manual	24kW	500 x 1000 x 500	880 x 1750 x 2000	43324.00	36103.00
F151156	360	1 or 2	Auto	24kW	600 x 1000 x 600	880 x 1750 x 2000	43763.00	36469.00
F151157	490	1 or 2	Auto	48kW	700 x 1000 x 700	1250/1500 x 1700 x 2000	46048.00	38373.00
F151158	612	1 or 2	Auto	48kW	700 x 1250 x 700	1250/1500 x 2000 x 2000	50383.00	41986.00
F151159	735	1 or 2	Auto	48kW/72kW	700 x 1500 x 700	1250/1500 x 2300 x 2000	57002.00	47502.00

Syngene NuGenius Gel Documentation System

3 YEARS

NuGenius is a compact gel documentation workstation, which uses a choice of UV, blue or white lighting options giving the flexibility to image fluorescent and visibly stained gels at the workstation. A groundbreaking 5 million pixel CCD camera gives superb pixel resolution and unrivalled sensitivity, and offers a maximum viewing area of 20 x 24cm which is very large for such a small, compact unit.

- Compact workstation - plenty of bench space for your research
- Complete with built-in processor, touch screen and NuGenius software
- Easily capture and edit images on screen without a computer
- Motor driven zoom lens - automatic set up for easy image capture
- 5m pixel camera - resolves close bands and detects nanogram amounts

Save over
€1,950

Code	Offer Price €	Offer Price £
F151660	6840.00	5700.00

FREE transilluminator (20 x 24cm, 302nm), visible light converter, UV to blue light converter and NuGenius network kit

SYNGENE
A DIVISION OF THE SYNOPTICS GROUP

Syngene is a world-leading supplier of gel documentation (gel doc) systems for rapid, accurate imaging and analysis. We are specialists in:

- Gel Documentation
- Fluorescence imaging
- Western blot imaging
- Multiplex fluorescence westerns
- Visible protein imaging

Featuring
- **User friendly software and hardware**
- **Free of charge software updates**
- **3 year warranty**
- **UK manufacturing**

MORE THAN 38 YEARS OF IMAGING EXCELLENCE

NuGenius - Integrated imaging system for DNA and protein analysis and gel documentation.

G:BOX Chemi XRQ - gel doc system with high resolution, cooled camera and application for fluorescence and chemiluminescence applications

*For info on whole Syngene range contact Analab

Anvajo fluidlab R-300 Cell Counter/Spectrometer with FREE Accessories

1 YEAR NEW

The compact fluidlab R-300 combines a full-fledged spectrometer with an automatic cell counter. Its intuitive handling and precise measurements make the fluidlab R-300 the laboratory instrument of the future. With standard cuvettes as well as with glass sample carriers from anvajo a variety of analyses such as absorbance, automatic cell counting and staining-free viability measurements can be performed.

fluidlab R-300 analytical device for:

- Cell Counting in the range from 3-80 µm
- Viability measurment in the range from 8-80 µm
- Spectrometric scatter and absorbtion measurements in the wavelength range from 375 - 700 nm
- Supplied with 3 packs of 25 glass sample carriers (75 in total) and a pack of 12 sensor cleaners - for FREE (worth over €195!)

FREE Accessories worth €195

NEW

Code	Supplied with	Offer Price €	Offer Price £
F151692	Anvajo fluidlab R-300 with 3 Packs of Acella 100µm Sample Carriers and 1 Pack of Sensor Cleaners	4356.00	3630.00
F151693	Anvajo fluidlab R-300 with 3 Packs of Acella 50µm Sample Carriers and 1 Pack of Sensor Cleaners	4356.00	3630.00
F151694	Anvajo fluidlab R-300 with 3 Packs of Acella 20µm Sample Carriers and 1 Pack of Sensor Cleaners	4356.00	3630.00

Blue-Ray Biotech EzScope 101 Live Cell Imaging System

1+ YEAR NEW

BLUE-RAY BIOTECH

NEW

- Incubator Live View - Designed to be used inside the incubator, without the need to remove your cells from incubator to enhance culture quality control
- Minimises Experimental Variations - Up to four units of EzScope can be setup in the same incubator and controlled by one computer
- Exceptional Image Quality - Adopts high contrast brightfield optical configurations, coupled with precise motorised focusing, and two interchangeable magnifying objective lenses
- Easy Image Editor - Captures and edits images easily with EzCapture software
- Comes supplied with 10x objective lens. 20x lens, optional mechanical XY stage and adapters for slides and flasks available separately

Code	Operating Conditions	Dims, w x d x h, mm	Weight, kg	List Price €	List Price £
COU2050	0 to 42°C, 5 to 95% RH non-condensing	225 x 231 x 205	2	**5450.90**	**4193.00**

Blue-Ray Biotech Gradient TurboCycler 2 with 96-Well Sample Block

2+ YEARS NEW

BLUE-RAY BIOTECH

NEW

- Flexible ramp rate control from 0.1 to 5.5°C/s
- Fully adjustable lid temperature can be set between 35 and 120°C
- Gradient optimisation range from 1 to 30°C
- Sensitive 7" capacitive touchscreen enables easy operation even with laboratory gloves
- WiFi function allows monitoring of your PCR status remotely anytime on your mobile device via the free TurboApp
- Compatible with regular profile or low profile 0.2mL PCR tube, strip, non-skirted, semi-skirted and full-skirted 96-well plate

Code	Dims, w x d x h, mm	List Price €	List Price £
MOL2702	245 x 415 x 225	**4078.10**	**3137.00**

Blue-Ray Biotech TurboQ Real-Time PCR Machine with Laptop

1+ YEAR NEW

BLUE-RAY BIOTECH

Fixed 96-well, 4-channel optics enable multiplex detection up to 4 targets per well. CCD base detection system for fast and uniform detection. Laptop included.

- 4 Optical Channels: Detects up to 4 targets in one well
- CCD-Based Detection System: The entire plate can be detected at once to eliminate reaction-time differences
- Motorised Plate Carrier Tray: Plate in/out with a simple click, enables automation integration in the future
- ±0.25°C Block Temperature Control Accuracy: Ensures experiment condition stability and eliminates uncertainty
- Software with Complete Analysis Functions: No need to purchase extra analysis modules
- Sample block: Fixed 96-well, compatible with regular profile 0.2 ml PCR tube, strip, non-skirted and semi-skirted 96-well plate

NEW

Code	Dims, w x d x h, mm	List Price €	List Price £
MOL2700	354 x 455 x 567	**32493.50**	**24995.00**

Labogene Mars Class II Cabinets

5 YEARS NEW

The Mars safety cabinets take full advantage of the latest innovative energy-efficient fans and optimised air flows, contributing to lower energy consumption and reduction of the noise level. Lower energy consumption also results in less heat transmission, both into the work chamber and to the laboratory environment, contributing significantly to reduced overall energy costs.

NEW

- Dual filter class II microbiological safety cabinets
- New innovative EC fans and optimised air flow, contributing up to a 6 dB(A) reduction in the noise level
- 110 mm HEPA filters with efficiency at 99,999 % against 0.3µm particles, ensuring a clean sterile work chamber environment
- Panoramic front & side windows for ultimate supervision and glare-free lighting
- Manufactured & tested in compliance with EN 12469
- Supplied with UV Light - LED Light - Double HEPA Filter, Support Stand and Pair of Electrical Sockets

Code	Alt Ref	Width, mm	List Price €	List Price £
CAB1032	MARS 900	900	**8937.50**	**6875.00**
CAB1034	MARS 1200	1200	**9361.30**	**7201.00**
CAB1036	MARS 1500	1500	**10582.00**	**8140.00**
CAB1038	MARS 1800	1800	**11401.00**	**8770.00**

Labogene CoolSafe 4L Freeze Dryer Bundles

Save up to
€6,954

CoolSafe Pro

- Digital display of the condenser temperature and pressure
- 4-litre condenser capacity and -110°C temperature

Promotional Bundle complete with acrylic plate, 200mm diameter polycarbonate chamber with 2 unheated stainless steel shelves and 30L/min Vacuum pump RZ 2.5 - Save €1,595!

CoolSafe Touch

- New touchscreen controller with regulation of temperature, pressure and time
- Freeze-drying with programming and storage of protocols for full research and method development
- 4-litre condenser capacity and -110°C temperature

Promotional Bundle complete with 300mm diameter acrylic chamber with 5 x heated shelves, 5 x stainless steel trays and 30L/min Vacuum pump RZ 2.5 - Save €6,954!

Code	Description	Offer Price €	Offer Price £
F151699	CoolSafe Pro 110-4 Freeze Dryer Complete Bundle	9942.00	8285.00
F151703	CoolSafe Touch 110-4 Freeze Dryer Complete Bundle	13812.00	11510.00

Labogene CoolSafe Superior Touch 95-80 Freeze Dryer Bundle

Save over
35%

- Touchscreen controller and display of temperature, pressure and time during operation
- Large capacity, seamless stainless steel condenser with external cooling coils and electric de-icing as standard
- Front-loading for ease of access, loading and supervision
- Fully automatic control of pre-freeze in 5 steps - and primary and secondary drying in 10 steps. Controlling shelf temperature from -80°C to + 50°C for correct ice crystal formation and freeze drying
- Condenser ice capacity of max. 10kg/24 hours
- The chamber can accommodate from 2 to 8 electrically heated shelves with trays, giving a total area ranging from 0.3m² to 1.2m²

Promotional Bundle complete with bulk rack including 2 x heated shelves and 105 L/min Vacuum pump RZ 6



Code	Offer Price €	Offer Price £
F151707	35618.00	29682.00

ANALAB IRELAND PRESENTS

FOCUS

EXCLUSIVE OFFERS & EXCITING NEW PRODUCTS

BioDrop Resolution software is pre-programmed for DNA, RNA, oligo, fluorescent dye labelling efficiency, Tm calculation, quick measurements and colourimetric protein methods

See page 38...

20% OFF

Analab Ireland
Analab Limited
Rathdown Close
Lissue Industrial Estate West
Lisburn, Co. Antrim
BT28 2RB

t. (Lisburn) 028 9262 1100
t. (Dublin) 01 4069 464

www.analab.co.uk or www.analab.ie

BioDrop+ Microvolume UV/Vis Spectrophotometers

Comes with intuitive and easy to use software and a USB port for PC control and data export

SPRING EDITION 2021